



Pro-1100-5G antenna, 6 dBi, MIMO for GSM/2G/3G/4G/5G

Pro-1100-5G is an antenna for both indoor and outdoor use, specially developed for the Scandinavian frequency bands and now also for 5G. It is a MIMO antenna for frequency bands in the areas:
698-960/1710-2700/3300-3600/4800-5000 MHz.
The antenna can be used indoors or outdoors. With flexible brackets, it is easily mounted on pipes (30-53 mm) or walls.

Ref.	650501
EAN13	8424450236796

Other features

Colour	White
--------	-------

Packaging info

Box	1 Units
-----	---------

Physical data

Net weight	730.00 g
Gross weight	840.00 g
Width	215.00 mm
Height	200.00 mm
Depth	70.00 mm
Main product weight	730.00 g

Highlights

- MIMO antenna with two cables

- 2 meter low-loss cable, white (type LMR200)
- 2 x SMA connector (male)
- Can be mounted on a wall or on a pipe 30-53 mm
- Bracket included.

Technical specifications : Ref. 650501

Telephony bands		2G	3G	4G	5G
Frequency range	MHz	698 ... 960	1710 ... 2700	3300 ... 3600	4800 ... 5000
Gain	dBi	6			
Input impedance	Ω	50			
Polarisation		Horizontal/Vertical			
Horizontal beamwidth	°	360			
Vertical beamwidth	°	120			
F/B ratio	dB	> 20			
Max. power	W	100			
Number of connectors		2			
Connector type		SMA Male			
Cable length	m	2			
Grounding		Yes			
Mast diameter	mm	30 ... 53			
Operating temperature	°C	-40 ... 60			